

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1




FIG. 2




FIG. 3

80

83

82

86

FIG. 4

Custom Applications

File Edit Settings Help

New... Open... Save... Save As... Expand Device Tree

1 M:\Projects\... \ICSA_0000
2 M:\Projects\... \5500.app
3 E:\BAS\... \110001.app
4 E:\BAS\... \110002.app

Export Application
Close
Exit

Ctrl+N
Ctrl+G
Ctrl+S

TICS

Script #	Point Name	Point Type	Description	Units	Significant	Interpolation	INDEX	INDEX
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								
51								
52								
53								
54								
55								
56								
57								
58								
59								
60								
61								
62								
63								
64								
65								
66								
67								
68								
69								
70								
71								
72								
73								
74								
75								
76								
77								
78								
79								
80								
81								
82								
83								
84								
85								
86								
87								
88								
89								
90								
91								
92								
93								
94								
95								
96								
97								
98								
99								
100								

Script # Application Number Name Size Modified

FIG. 5




FIG. 6

100

FileEditSettingsHelp

Isb Builder Proib2

Isb Builder 3.3: JOI N2 MASTER

Standard Applications

Report to: REPORT 0

Custom Applications

Isb Files

Subp #

Point Name

Point Type

Descriptor

Units

Slope/Off

Intercept/On

00001

READY

IDI

OFF

ON

00002

COMFAL

IDO

OFF

ON

00003

FCMFAL

IDO

OFF

ON

00005

TIMOUT

LAO

TICKS

1.00000

0.00000

00006

RSPINT

LAO

MIN

1.00000

0.00000

00007

POL SUP

LAO

TICKS

1.00000

0.00000

00008

POLDLY

LAO

1.00000

0.00000

00009

POLFRO

LAO

1.00000

0.00000

00010

ADDRESS

LAO

104

1.00000

0.00000

00011

APPLICATI...

LAO

1.00000

0.00000

00013

MAXRTY

LAO

1.00000

0.00000

00014

INICNT

LAO

SECS

1.00000

0.00000

00016

EVENT

IDO

OFF

ON

00017

CMDPND

LAI

1.00000

0.00000

00018

CMDHIW

LAI

1.00000

0.00000

00020

DIAGCL

LAO

1.00000

0.00000

00021

RESPON

LAI

1.00000

0.00000

00022

GOODPK

LAI

1.00000

0.00000

Isb Number

Application Number

Name

Size

Modified

102

106

FIG. 7

Sheet #	Point Name	Point Type	Description	Units	Support	Interception	INDEX1	INDEX2
00001	ADDRESS	LAO	DEVICE ADDRESS		1.00000	0.00000		
00002	APPLICATION	LAO	APPLICATION NUMBER		1.00000	0.00000		
00003	ZN1	LA	ZONE TEMP	DEG F	1.00000	0.00000	A1	
00004	AZ	LA	SPARE A-2		1.00000	0.00000	A1	
00005	A3	LA	SPARE A-3		1.00000	0.00000	A1	
00006	A4	LA	SPARE A-4		1.00000	0.00000	A1	
00007	A5	LA	SPARE A-5		1.00000	0.00000	A1	
00008	A6	LA	SPARE A-6		1.00000	0.00000	A1	
00009	B1	LD	SPARE B-1		OFF	ON	B1	
00010	B2	LD	SPARE B-2		OFF	ON	B1	
00011	B3	LD	SPARE B-3		OFF	ON	B1	
00012	B4	LD	SPARE B-4		OFF	ON	B1	
00013	A01	LAO	SPARE AO-1		1.00000	0.00000	AO	
00014	A02	LAO	SPARE AO-2		1.00000	0.00000	AO	
00015	DANGER COMMAND	LDO	DANGER COMMAND	Pct	1.00000	0.00000	AO	
00016	DOP OP	LDO	DANGER OPEN		1.00000	0.00000	AO	
00017	DOP CL	LDO	DANGER CLOSE		OFF	ON	BO	
00018	BO3	LDO	SPARE BO-3		OFF	ON	BO	
00019	BO4	LDO	SPARE BO-4		OFF	ON	BO	
00020	BO5	LDO	SPARE BO-5		OFF	ON	BO	
00021	BO6	LDO	SPARE BO-6		OFF	ON	BO	
00022	STATUS	LD	STAGED BOX		OFF	ON	BO	
00023	OCSTATUS	LD	OC-CURSED STATUS		OFF	ON	BO	
00024	SHUTDWN STATUS	LD	SHUTDOWN STATUS		OFF	ON	BO	
00025	WRKCMD	LDO	WARNING COMMAND		OFF	ON	BO	
00026	OCCKCMD	LDO	OC-CURSED COMMAND		OFF	ON	BO	
00027	STBYCMD	LDO	STANDBY COMMAND		OFF	ON	BO	
00028	BOXOPEN	LDO	BOX OPEN CMD		OFF	ON	BO	
00029	BOXCLOSE	LDO	BOX CLOSE CMD		OFF	ON	BO	
00030	SUM WAT	LDO	SUMMERWATER		OFF	ON	BO	
00031	OCSTRT TIME	LAO	OC-START TIME		1.00000	0.00000	AD	
00032	OCSTOP	LAO	OC-STOP TIME		1.00000	0.00000	AD	
00033	ACTCLHSGP	LA	ACTUAL HTG SETPT	DEG F	1.00000	0.00000	ADF	
00034	ACTCLGSP	LA	ACTUAL CLG SETPT		1.00000	0.00000	ADF	
00035	OCCLGSP	LAO	OC-CLG SETPT	DEG F	1.00000	0.00000	ADF	
00036	STBYCLG	LAO	STANDBY CLG SETPT	DEG F	1.00000	0.00000	ADF	
00037	UNOC CLG	LAO	UNOC CLG SETPT	DEG F	1.00000	0.00000	ADF	
00038	CLGPRG	LAO	CLG PROG BAND	DEG F	1.00000	0.00000	ADF	
00039	CLGRT	LAO	CLG INTEG TIME		1.00000	0.00000	ADF	
00040	OCCHGSP	LAO	OC-CHG SETPT		1.00000	0.00000	ADF	

FLG
∞

Firmware Loading Tool

Firmware

Integrated Systems

Settings

Controller

Revision: MBC v2.5.2(1)DriverJ2A v3.3

Hardware: Open Processor - MBC

Identity

Integrated Systems Binary File

Path: F:\Apoge_hw\ISB_Files\J2A\J2A_0014.isb

ISB for Driver: J2A

Browse

Load

Driver

File

Upload

☐ Retain Database

FIG. 10




FIG. 11